

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Discrete Mathematics 286 (2004) 291–293

DISCRETE
MATHEMATICSwww.elsevier.com/locate/disc

Author index to volume 286

- Abderrezzak, M.E.K. and E. Flandrin, New sufficient conditions for bipancyclic bipartite graphs (1–2) 5– 13
- Balbuena, C. and P. García-Vázquez, Edge-connectivity in P_k -path graphs (3) 213–218
- Balińska, K.T., S.K. Simić and K.T. Zwierzyński, Which non-regular bipartite integral graphs with maximum degree four do not have ± 1 as eigenvalues? (1–2) 15– 24
- Boland, J., F. Buckley and M. Miller, Eccentric digraphs (1–2) 25– 29
- Borowiecka-Olszewska, M., E. Drgas-Burchardt and P. Mihók, Minimal vertex Ramsey graphs and minimal forbidden subgraphs (1–2) 31– 36
- Borowiecki, M.x., M. Hałuszczak and E. Sidorowicz, On Ramsey minimal graphs (1–2) 37– 43
- Buckley, F., see J. Boland (1–2) 25– 29
- Čada, R., T. Kaiser, M. Rosenfeld and Z. Ryjáček, Hamiltonian decompositions of prisms over cubic graphs (1–2) 45– 56
- Changat, M. and J. Mathew, Induced path transit function, monotone and Peano axioms (3) 185–194
- Czygrinow, A. and B. Nagle, Strong edge colorings of uniform graphs (3) 219–223
- Daskalov, R. and E. Metodieva, The nonexistence of ternary [105,6,68] and [230,6,152] codes (3) 225–232
- Drgas-Burchardt, E., see M. Borowiecka-Olszewska (1–2) 31– 36
- El Haddad, M., Y. Manoussakis and R. Saad, Upper bounds for the forwarding indices of communication networks (3) 233–240
- Elzinga, R.J., D.A. Gregory and K.N.V. Meulen, Addressing the Petersen graph (3) 241–244
- Faudree, R.J., R.J. Gould, M.S. Jacobson, L. Lesniak and A. Saito, Toughness, degrees and 2-factors (3) 245–249
- Flandrin, E., H. Li, A. Marczyk and M. Woźniak, A note on pancyclism of highly connected graphs (1–2) 57– 60
- Flandrin, E., see M.E.K. Abderrezzak (1–2) 5– 13
- Fletcher, R.J., C. Koukouvinos and J. Seberry, New skew-Hadamard matrices of order $4 \cdot 59$ and new D-optimal designs of order $2 \cdot 59$ (3) 251–253
- García-Vázquez, P., see C. Balbuena (3) 213–218
- Gerlach, T., Toughness and Hamiltonicity of a class of planar graphs (1–2) 61– 65
- Goddard, W., T.W. Haynes, M.A. Henning and L.C. van der Merwe, The diameter of total domination vertex critical graphs (3) 255–261
- Göring, F., J. Harant, E. Hexel and Z. Tuza, On short cycles through prescribed vertices of a graph (1–2) 67– 74
- Görlich, A., M. Piłśniak, M. Woźniak and I.A. Zioło, A note on embedding graphs without short cycles (1–2) 75– 77
- Górska, J., Z.x. Skupień, Z. Majcher and J. Michael, A smallest irregular oriented graph containing a given diregular one (1–2) 79– 88
- Gould, R.J., see R.J. Faudree (3) 245–249
- Gregory, D.A., see R.J. Elzinga (3) 241–244
- Hackmann, A. and A. Kemnitz, The circular chromatic index (1–2) 89– 93
- Hałuszczak, M., see M.x. Borowiecki (1–2) 37– 43
- Harant, J., On paths and cycles through specified vertices (1–2) 95– 98
- Harant, J., see F. Göring (1–2) 67– 74
- Haynes, T.W., M.A. Henning and L. Hopkins, Total domination subdivision numbers of trees (3) 195–202

- Haynes, T.W., see W. Goddard (3) 255–261
- Henning, M.A. and J.E. Maritz, Stratification and domination in graphs II (3) 203–211
- Henning, M.A., see T.W. Haynes (3) 195–202
- Henning, M.A., see W. Goddard (3) 255–261
- Hexel, E., see F. Göring (1–2) 67– 74
- Hopkins, L., see T.W. Haynes (3) 195–202
- Horňák, M. and S. Jendrol', Preface (1–2) 1– 1
- Jacobson, M.S., see R.J. Faudree (3) 245–249
- Jendrol', S., see M. Horňák (1–2) 1– 1
- Kaiser, T., see R. Čada (1–2) 45– 56
- Kemnitz, A., see A. Hackmann (1–2) 89– 93
- Koukouvinos, C., see R.J. Fletcher (3) 251–253
- Král', D., J. Kratochvíl and H.-J. Voss, Mixed hypercacti (1–2) 99–113
- Kratochvíl, J., see D. Král' (1–2) 99–113
- Lesniak, L., see R.J. Faudree (3) 245–249
- Li, H., see E. Flandrin (1–2) 57– 60
- Madaras, T. and R. Škrekovski, Heavy paths, light stars, and big melons (1–2) 115–131
- Mahlburg, K., The overpartition function modulo small powers of 2 (3) 263–267
- Majcher, Z., see J. Górska (1–2) 79– 88
- Manoussakis, Y., see M. El Haddad (3) 233–240
- Marczyk, A., On the structure of the set of cycle lengths in a hamiltonian graph (1–2) 133–140
- Marczyk, A., see E. Flandrin (1–2) 57– 60
- Maritz, J.E., see M.A. Henning (3) 203–211
- Mathew, J., see M. Changat (3) 185–194
- Metodieva, E., see R. Daskalov (3) 225–232
- Meulen, K.N.V., see R.J. Elzinga (3) 241–244
- Michael, J., see J. Górska (1–2) 79– 88
- Michalak, D., Domination, independence and irredundance with respect to additive induced-hereditary properties (1–2) 141–146
- Mihók, P. and I. Schiermeyer, Cycle lengths and chromatic number of graphs (1–2) 147–149
- Mihók, P., see M. Borowiecka-Olszewska (1–2) 31– 36
- Miller, M., see J. Boland (1–2) 25– 29
- Nagle, B., see A. Czygrinow (3) 219–223
- Natarajan, R., A bijection between certain non-crossing partitions and sequences (3) 269–275
- Nebeský, L., Intervals and steps in a connected graph (1–2) 151–156
- Piłśniak, M., see A. Görlich (1–2) 75– 77
- Quistorff, J., Slight improvements of the Singleton bound (3) 277–283
- Rosenfeld, M., see R. Čada (1–2) 45– 56
- Ryjáček, Z., see R. Čada (1–2) 45– 56
- Saad, R., see M. El Haddad (3) 233–240
- Saito, A., see R.J. Faudree (3) 245–249
- Schiermeyer, I., Rainbow numbers for matchings and complete graphs (1–2) 157–162
- Schiermeyer, I., see P. Mihók (1–2) 147–149
- Seberry, J., see R.J. Fletcher (3) 251–253
- Semanišin, G., Minimal reducible bounds for induced-hereditary properties (1–2) 163–170

Sidorowicz, E., see M.x. Borowiecki	(1–2)	37– 43
Simić, S.K., see K.T. Balińska	(1–2)	15– 24
Sinclair, P.A., Upon the removal of the edges of a 1-factor from an even circuit in a 2-connected graph	(3)	171–175
Sinclair, P.A., On removable even circuits in graphs	(3)	177–184
Škrekovski, R., see T. Madaras	(1–2)	115–131
Skupień, Z.x., see J. Górska	(1–2)	79– 88
Tian, F., A short proof of Fan’s theorem	(3)	285–286
Tuza, Z., see F. Göring	(1–2)	67– 74
van der Merwe, L.C., see W. Goddard	(3)	255–261
Voss, H.-J., see D. Král’	(1–2)	99–113
Woźniak, M., see A. Görlich	(1–2)	75– 77
Woźniak, M., see E. Flandrin	(1–2)	57– 60
Zannetti, M., $q^2 + q + 1$ -caps of class $[0, 1, 2, 3, q + 1]_2$ and type $(1, m, n)_4$ of $\text{PG}(5, q)$ are quadric Veroneseans	(3)	287–290
Zioło, I.A., see A. Görlich	(1–2)	75– 77
Zwierzyński, K.T., see K.T. Balińska	(1–2)	15– 24